

Material Safety Data Sheet

Senscience True Hue Violet Series Conditioner



1. Identification of the material and supplier

Names

Product name : Senscience True Hue Violet Series Conditioner

Distributor : SALON SUPPORT PTY. LTD.
16 Cavendish Road
COORPAROO QLD 4151AU
AUSTRALIA
Phone: 07-3397-3933

Manufacturer : Zotos International, INC
100 Tokeneke Road,
Darien, CT 06820
www.zotos.com

Emergency telephone number : 131126

2. Hazards identification

Classification : N; R51/53

Risk phrases : R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases : S29- Do not empty into drains.
S61- Avoid release to the environment. Refer to special instructions/safety data sheet.

Statement of hazardous/dangerous nature : NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

3. Composition/information on ingredients

Mixture : Yes.

Ingredient name	CAS number	Concentration
hexadecan-1-ol	36653-82-4	5.00
octadecan-1-ol	112-92-5	5.00
propan-2-ol	67-63-0	1.26
glycerol	56-81-5	1.00

Other ingredients, determined not to be hazardous according to Safe Work Australia criteria, and not dangerous according to the ADG Code, make up the product concentration to 100%.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

First aid measures

Inhalation : Move affected person to fresh air.

Ingestion : Have conscious person drink several glasses of water or milk. Do not induce vomiting. Get medical attention if adverse health effects persist or are severe.

Skin contact : Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. Discontinue use of product. Apply cold compresses to affected areas to relieve any discomfort. Seek medical attention if irritation persists.

Eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. May cause eye irritation.

Protection of first-aiders : Use suitable protective equipment (section 8).

Advice to doctor : Treat symptomatically.

5. Fire-fighting measures

- Extinguishing media** : Extinguish fire using an agent suitable for the surrounding fire. Dike liquid for later disposal.
- Special exposure hazards** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. This material is toxic to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
- In a fire or if heated, a pressure increase will occur and the container may burst.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
 carbon dioxide
 carbon monoxide
 nitrogen oxides
 halogenated compounds
- Special protective equipment for fire-fighters** : Non-combustible. No special recommendations.

6. Accidental release measures

- Personal precautions** : Do not touch or walk through spilled material. Keep container closed.
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
- Methods for cleaning up** : Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Place spilled material in an appropriate container for disposal. After contact with skin, wash immediately with plenty of water.

7. Handling and storage

- Handling** : Avoid contact with skin and eyes. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10).
- Storage** : Keep container tightly closed. Store in a dry place.

8. Exposure controls/personal protection

Occupational exposure limits

Ingredient name	Exposure limits
hexadecan-1-ol	TRGS900 AGW (Germany, 1/2012). TWA: 200 mg/m ³ 8 hour(s). TWA: 20 ppm 8 hour(s). PEAK: 200 mg/m ³ 15 minute(s). PEAK: 20 ppm 15 minute(s).
octadecan-1-ol	TRGS900 AGW (Germany, 1/2012). TWA: 224 mg/m ³ 8 hour(s). TWA: 20 ppm 8 hour(s). PEAK: 224 mg/m ³ 15 minute(s). PEAK: 20 ppm 15 minute(s).
propan-2-ol	Safe Work Australia (Australia, 8/2005). STEL: 1230 mg/m ³ 15 minute(s). STEL: 500 ppm 15 minute(s). TWA: 983 mg/m ³ 8 hour(s). TWA: 400 ppm 8 hour(s).
glycerol	Safe Work Australia (Australia, 8/2005). TWA: 10 mg/m ³ 8 hour(s).

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Exposure controls

- Engineering measures** : In case of insufficient ventilation, wear suitable respiratory equipment.

8. Exposure controls/personal protection

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
- Hands** : Wear suitable gloves.
- Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

- Physical state** : Liquid. [Viscous liquid.]
- Color** : White. Off-white.
- Odor** : Fragrance-like.
- Boiling point** : >100°C (>212°F)
- Relative density** : 0.99 to 1.1
- Density** : 1.1 to 2.1 g/cm³
- Flash point** : Closed cup: Not applicable.
- pH** : 3 to 4.5
- Flame duration** : Not applicable.

10. Stability and reactivity

- Chemical stability** : Stable under recommended storage and handling conditions (see section 7).
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : No specific data.
- Materials to avoid** : No specific data.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Potential acute health effects

- Inhalation** : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Ingestion** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Eye contact** : No known significant effects or critical hazards.

Acute toxicity

Product/ingredient name	Result	Dose	Exposure
hexadecan-1-ol	LD50 Oral	5 g/kg	-
octadecan-1-ol	LD50 Oral	>5000 mg/kg	-
propan-2-ol	LD50 Dermal	12800 mg/kg	-
	LD50 Oral	5000 mg/kg	-
glycerol	LD50 Oral	12600 mg/kg	-

11. Toxicological information

Conclusion/Summary : Not available.

Potential chronic health effects

Chronic toxicity

Conclusion/Summary : Not available.

Irritation/Corrosion

Product/ingredient name	Result	Score	Exposure	Observation
hexadecan-1-ol	Eyes - Mild irritant	-	82 milligrams	-
	Skin - Mild irritant	-	100 Percent	-
	Skin - Moderate irritant	-	24 hours 100 milligrams	-
	Skin - Mild irritant	-	72 hours 75 milligrams Intermittent	-
	Skin - Severe irritant	-	0.2 Percent	-
	Skin - Mild irritant	-	48 hours 50 milligrams	-
	Skin - Severe irritant	-	24 hours 100 milligrams	-
	Skin - Mild irritant	-	24 hours 2600 milligrams	-
octadecan-1-ol	Eyes - Mild irritant	-	24 hours 100 milligrams	-
	Skin - Mild irritant	-	24 hours 500 milligrams	-
	Skin - Mild irritant	-	48 hours 30 Percent	-
propan-2-ol	Eyes - Moderate irritant	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	-	10 milligrams	-
	Eyes - Severe irritant	-	100 milligrams	-
	Skin - Mild irritant	-	500 milligrams	-
glycerol	Eyes - Mild irritant	-	24 hours 500 milligrams	-
	Skin - Mild irritant	-	24 hours 500 milligrams	-

Conclusion/Summary : Not available.

Sensitizer

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Chronic effects

: No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Over-exposure signs/symptoms

11. Toxicological information

Inhalation	: No specific data.
Ingestion	: No specific data.
Skin	: No specific data.
Eyes	: No specific data.
Target organs	: Contains material which may cause damage to the following organs: blood, kidneys, liver, spleen, upper respiratory tract, skin, central nervous system (CNS), eye, lens or cornea.

12. Ecological information

THE FOLLOWING DATA IN THIS SECTION IS SOURCED FROM PUBLICLY AVAILABLE DATABASES AND NOT THE REPRESENTATION OF ANY DATA COLLECTED BY ZOTOS INTERNATIONAL OR ITS AFFILIATES.

Ecotoxicity : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
propan-2-ol	Acute LC50 1400000 ug/L Marine water Acute LC50 4200000 ug/L Fresh water	Crustaceans - Crangon crangon Fish - Rasbora heteromorpha - 1 to 3 cm	48 hours 96 hours
glycerol	Acute LC50 54 ml/L Fresh water	Fish - Oncorhynchus mykiss - 0.9 g	96 hours

Conclusion/Summary : Not available.

Other ecological information

Persistence/degradability

Conclusion/Summary : Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
octadecan-1-ol	8.22	-	high
propan-2-ol	0.05	-	low
glycerol	-1.76	-	low

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Methods of disposal : Dispose of according to all federal, state and local applicable regulations.

14. Transport information

Regulation	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADG	Not regulated.	-	-	-		-
ADR	Not regulated.	-	-	-		-
IMDG	Not regulated.	-	-	-		-
IATA	Not regulated.	-	-	-		-

PG* : Packing group

15. Regulatory information

[Standard for the Uniform Scheduling of Drugs and Poisons](#)

Not regulated.

[Control of Scheduled Carcinogenic Substances](#)

Not available.

No listed substance

[Australia inventory \(AICS\)](#) : All ingredients that are not contained in the AICS database are below registration thresholds.

16. Other information

[Date of issue](#) : 10/14/2013.

Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.